

VII. MEDICATIONS TO AVOID (Do not take these medications)

WARNING: THIS LIST IS NOT INTENDED TO BE ALL INCLUSIVE. ALL MEDICATIONS MUST BE CLEARED THROUGH YOUR COUNSELOR PRIOR TO TAKING.

Note: Drug Name® = Brand Name

A

Actiq® (fentanyl)

Adipex-P® (phentermine)

Adderall® (dextroamphetamine + amphetamine)

alcohol (ethanol, ethyl alcohol) or anything containing ethyl alcohol including

“Alcohol-Free” beer. Many over-the-counter liquid preparations such as cough syrups, cold medications, mouthwash, body washes or gels, etc. may contain alcohol and may produce a positive EtG (alcohol) urine drug screen. It is **YOUR** responsibility to read the labels on these preparations, or ask a pharmacist to make sure the products you use do not contain alcohol.

alprazolam (Xanax®)

ALURATE

Ambien® (zolpidem)

amphetamine or any product containing amphetamine or any of its derivatives, such as dextroamphetamine (Dexedrine®), benzphetamine (Didrex®), methamphetamine (Desoxyn®, speed, meth, ice, crystal, etc.), DOM, de- or di-methoxyamphetamine and others.

AMYTAL NA.

A.P.C. W/DEMEROL

APPEDRINE

ATARAX

Ativan® (lorazepam)

atropine or any product containing atropine

AtroPen® or any other product containing atropine

B

B.A.C.

BANCAP HC

barbiturates, including but not limited to butabarbital (Butisol®), butalbital (Fiorinal® and others), mephobarbital (Mebaral®), phenobarbital (Nembutal®, yellow jackets, (Donnatal®), secobarbital (Seconal®, red devils, Xmas trees, rainbows), thiopental (Pentothal®) and any other barbiturate.

BELLADONA & DERIVATIVES

BENZADRINE (BENNIES, WHITES)

B&O SUPP.

Bontrill® or Prelu-2® (phendimetrazine tartrate)

BREVITAL

BROMO QUININE

Buspirone

BUTALBITAL

bufotenin (dimethylserotonin)

Butisol® (butabarbital)

C

carbamazepine (Carbatrol®)

Carbatrol® (carbamazepine)

carisoprodol (Soma®)

CBD oil

CENTRAX

chloral hydrate

chlorazepate (Tranxene®)

chlordiazepoxide (Limbitrol®, Librax®)

chlorzoxazone (Parafon Forte®)

clonazepam (Klonopin®)

cocaine

codeine or any medication containing codeine, such as cough syrups (Robitussin A-C®, Tussin A-C®, and others.)

COMPAZINE

COMPOZ (OTC)

CONTROL

CYLERT

D

DALMANE

DAMASON-P

DARVOCET N-100

DARVON AND DARVON CPDS.

Demerol® (meperidine)

DEPROL

DESBUTAL (GREENS)

Desoxyn® speed, meth, ice, crystal, etc. (methamphetamine)

DET (diethyltryptamine, and all other tryptamine derivatives, such as DMT dimethyltryptamine and others)

DEXAMYL\DEXASPAN

Dexedrine® (dexies or hearts; dextroamphetamine, or any product containing dextroamphetamine)

dextromethorphan (DM) and any product containing this substance

DEXATRIM

diazepam (Valium®)

Didrex® (benzphetamine)
diethylpropion
Dilaudid® (hydromorphone)
diphenoxylate (Lomotil®)
DMT (dimethyltryptamine)
DOLENE
Dolophine® (methadone)
Donnatal® (phenobarbital + atropine + hyoscyamine +scopolamine)
DORIDAN
droperidol (Inapsine®)
Duragesic® (fentanyl)
Duramorph® (morphine)

E

EFED 11
Empirin® with any amount of codeine
Empracet® with any amount of codeine
ephedrine and any product containing this substance, including ephedra products
EQUANIL
Equagesic® (meprobamate + aspirin)
ESCOBARB
ESKATROL
eszopiclone (Lunestra®)

F

FASTIN
fentanyl (Sublimaze®, Actiq®, Durogesic®, Duragesic®, Fentora®, Onsolis®, Instanyl®
and others)
Fentora® (fentanyl)
Fiorinal® (butalbital, aspirin, caffeine) and any with codeine.
flurazepam

G

GHB (gammahydroxybutyric acid)

H

Halcion® (triazolam)
hashish or hashies
heroin (diacetyl morphine, E, horse, dope, smack, junk)
hydrocodone and any products containing hydrocodone (Vicodin® , Lorcet®, Lortab®,
Tussionex®, Zydone® as examples, and many others)
hyrdomorphone (Dilaudid)
hydroxyzine (Vistaril®)

hyoscine
HYCODAN
HY-PHEN

I

ibogaine
Inapsine® (droperidol)
inhalants, such as paint, glue, Freon, or any substance under pressure not for medicinal use.
INNOVAR ING. (FENTANYL W/DROPERIDOL)
Instanyl® (fentanyl)
Ionamin® (phentermine)

K

Ketalar® (ketamine)
ketamine (Ketalar®)
KINESED
Klonopin® (clonazepam)
Kratom

L

laudanum (tincture of opium)
levorphanol
LEVO-DROMORAN
LERITINE
LEVSIN WITH Pb.
Librax® (chlordiazepoxide + clidinium)
LIBRITABS
LIBRIUM
Limbital® (chlordiazepoxide + amitriptyline)
Lomotil® (diphenoxylate + atropine)
Lorazepam (Ativan®)
Lorcet®, Lortab® (hydrocodone + acetaminophen)
LSD (lysergic acid diethylamide, “acid”)
LIMINAL (BLUE HEAVENS)
Lunesta® (eszopiclone)

M

marijuana (pot, grass, Mary Jane, etc.)
MAZANOR
Mebaral® (mephobarbital)
MEPERGAN FORTE
Melfiat® (phendimetrazine)

meperidine and any other drug products containing meperidine
meprobamate (Miltown[®], Pathibamate[®], Equagesic[®], Equanil[®] and others)
MEPROBARNATE
MESCALINE
methadone (Dolophine[®], Methadose[®])
Methadose[®](methadone)
METHAMPHETAMINE (SPEED, METH, EESOXYN, METHADRINE)
METHAQUALONE
methocarbamol (Robaxin[®], Robaxisal[®])
methylphenidate (Ritalin[®])
midazolam (Versed[®])
MILES NERVINE
MILPATH
Miltown[®] (meprobamate)
mescaline
MDMA (methylenedioxymethamphetamine)
morphine and any other drug products containing morphine or its derivatives and
combinations (Duramorph[®], Roxanol[®] and others)

N

nalbuphine (Nubain[®])
Nembutal[®] (pentobarbital, yellow jackets)
NOCTEC
NO DOZ
NOLUDAR
Norflex[®] (orphenadrine)
NORGESIC
Nubain[®] (nalbuphine)
NUMORPHAN
NYTOL (OTC)

O

Onsolis[®] (fentanyl)
Opana ER[®] (oxymorphone)
opium or any of its constituents
orphenadrine (Norflex[®])
oxazepam
oxycodone (Oxycontin[®] and other products containing oxycodone such Percobarb[®],
Percocet[®], Percodan[®])
Oxycontin[®] (oxycodone and other products containing oxycodone)
oxymorphone (Opana ER[®])

P

PAILOCYBIN
PANTOPAN
Parafon Forte® (chlorzoxazone)
PARALDEHYDE
paregoric (camphorated tincture of opium)
PAREST
Pathibamate® (Meprobamate)
PAXIPAM
PCP (phencyclidine)
pentazocine (Talwin®)
Pentothal® (thiopental)
Percobarb®, Percocet®, Percodan® (oxycodone)
peyote
phendimetrazine (Bontril®, Melfiat®, Prelu-2®, Plegine®)
Phenergan® (promethazine)
PHENOBARBITAL
PHENOPHEN (#1,2,3,4 WITH CODEINE)
PHENZOCINE
PLACIDYL
Plegine® (phendimetrazine)
Prelu-2® (phendimetrazine)
PRO-BANTHINE
PROPOXYPHEN HD
PONDIMIN
PRELA 2
PRELUDIN
PROLAMINE
propantheline
prochlorperazine
promethazine (Phenergan®)
psilocybin, psilocin
pseudoephedrine (Sudafed®)

Q

QUAALUDE

R

Restoril® (Temazepam)
Ritalin® (methylphenidate)
Robaxin®, Robaxisal® (methocarbamol)
Robitussin A-C®, Tussin A-C® or any cough syrup containing codeine
Roxanol® (morphine)
Roxicet® (oxycodone + acetaminophen)
Roxicodone® (oxycodone)

Ryzolt® (tramadol)

S

SANOREX

Seconal® (secobarbital, red devils, XMAS trees, rainbow)

SERAX

Scopolamine

SLEEPEZE (OTC)

SODIUM PHENOBARBITAL

SODIUM LUMINAL

Sonata® (zalepon)

Soma® (carisoprodol)

SOPOR

Stadol® (butorphanol)

STP OR DOM

Sublimaze® (fentanyl)

SURITAL

SYNALGOS-D

T

TALACIN C

Talwin® (pentazocine)

temazepam (Restoril®)

TENUATE

TIC OPIUM

tramadol (Ryzolt®, Ultram®)

TRANCOPAL

trazadone (Desyrel®)

triazolam (Halcion®)

Tranxene® (chlorazepate)

Trazadone® (desyrel)

TUINAL (XMAS TREES, RAINBOWS)

Tussionex® (hydrocodone)

TYLENOL #1,2,3,4

Tylox® (oxycodone)

U

Ultram® (tramadol)

V

Valium® (diazepam)

VALPIN

Versed® (midazolam)

VERONAL

VESPRIN

Vicodin[®], Vicoprofen[®] (hydrocodone)

Vistaril[®] (hydroxyzine)

W

WYGESIC

X

Xanax[®] (alprazolam)

Z

zalepon (Sonata[®])

zolpidem (Ambien[®])

Zydone[®] (hydrocodone)

Also prohibited is any product labeled “not intended for human consumption,” intended to be smoked, ingested or injected for the purposes of “getting high.” Spice and K2 are examples of these products. There are different kinds of Spice such as K2 Summit, K2 Ultra, and K2 Blonde and others. There are even newer versions of Spice named K2 Sky Herb, K2 Orisha, and K2 Thai. These products contain herbal mixtures with cannabinomimetic compounds added to the mixture.

Another group of products known as ‘Bath salts’, but not intended for bathing, is also prohibited. Such products contain chemicals similar to amphetamines. They are often called “bath salts” but also are sold under names such as Ivory Wave, Purple Wave, Red Dove, White Dove, Blue Silk, and Zoom. Some have also been labeled as plant food.

All of these products are prohibited from use by DUI/Drug Court participants and are classified by DEA and GBND as class I, not for human use. These products are found in head shops, gas stations, smoke shops and other convenience stores.

Also included: any controlled substance listed in the official code of Georgia annotated § 16-13-25 SCHEDULE I, § 16-13-26 SCHEDULE II, § 16-13-27 SCHEDULE III, and § 16-13-28 SCHEDULE IV.

In addition, possession of any dangerous drug in § 16-13-71(b) is prohibited unless authorized by a valid prescription written by a licensed medical practitioner.

For a complete list of prohibited drugs and laws involving them, see:

http://sos.georgia.gov/acrobat/PLB/laws/03_Pharmacy_16-13.pdf

DO NOT TAKE LIST CONTINUED –

You are not allowed to consume ANY mood altering substances!

VOLATILE SUBSTANCES/ANESTHETICS-INHALANTS

Anesthetics	Amyl/butyl Nitrate	Banana Oil	CBD Oil
Fluothane	Freon	Gasoline	Glue
Nitrous Oxide	Paint Thinners	Panthrane	Pentothane
Surital	Trilene		

FOOD AND OTHER INGESTIBLE PRODUCTS:

Poppy Seeds (Do not ingest anything containing poppy seeds)

**PRESCRIPTION MEDICATION THAT CAN BE TAKEN-
YOU MUST TAKE IT ONLY AS PRESCRIBED.**

DRUGS THAT CAN BE TAKEN

TESSALON PERLES

TORADOL

MELCLOMEN

NALFON

ANTI-HISTAMINES THAT CAN BE TAKEN

CLINORIL

FELDENE

ALLEREST

COMHIST

COMTrex

DIMETANE

HISTADYL

ORNADE

PBZ

POLAMINE

PYRIBENZAMINE

TELDRIN

VIII. MEDICATIONS THAT MAY BE TAKEN

OVER-THE-COUNTER (OTC) MEDICATIONS THAT MAY BE TAKEN TO RELIEVE PAIN OR OTHER SYMPTOMS. TAKE ONLY AS DIRECTED AND DO NOT USE ANY AMOUNT BEYOND WHAT IS RECOMMENDED:

acetylsalicylic acid (Aspirin®, Ecotrin®, Bufferin®)
acetaminophen (Tylenol®)
ibuprofen (Motrin®, Advil®, Medipren®)
naproxen (Aleve®)
ROBITUSSIN

There are many other products that contain combinations of the above ingredients, and some of those combinations contain ingredients that you are not allowed to take. You must read the ingredient list of all drugs that you may take to be sure that you are not taking a drug that is not allowed. If in doubt, ask your counselor or a pharmacist.

OTC MEDICATIONS THAT MAY BE TAKEN TO RELIEVE ALLERGY SYMPTOMS:

ACTIFED
Alka-Seltzer Plus
cetirizine (Zyrtec®)
chlorpheniramine (Chlor-Trimeton®)
clemastine (Tavist®)
CORICIDIN
DIMETAPP
DRAMAMINE
diphenhydramine (Benadryl®)
fexofenadine (Allegra®)
loratidine (Claritin®)
TRIAMINIC

These drugs are also available in many combinations with other drugs, some of which should not be taken. You must read the ingredient list of all drugs that you may take to be sure that you are not taking a drug that is not allowed.

INGREDIENTS IN OTC DRUGS THAT MUST BE AVOIDED:

dextromethorphan, (DM)
pseudoephedrine
ephedrine

Abuse of any drug, that is, taking a drug in higher quantities or more often than listed on the dosing information supplied with the drug, is strictly prohibited.

Other medications may be appropriate to take, but you must check with your Counselor prior to taking them. You must notify your Counselor of all medications taken and a copy of all prescriptions must be provided to your Counselor before they are filled.

ANY MEDICATION USED MUST BE TAKEN ONLY ACCORDING TO THE DIRECTIONS GIVEN IN THE DRUG PACKAGE INSERT OR BY A PHYSICIAN'S WRITTEN ORDER.

Remember! When in doubt, don't use, consume or apply.

I HAVE READ AND UNDERSTAND MY RESPONSIBILITIES; MY SIGNATURE IMPLIES MY CONSENT:

PARTICIPANT SIGNATURE

DATE

Print Name of Participant

WITNESS

DATE